

Style Code: PW96 - Face Shield Plus

CAUTION

This face shield does not provide unlimited face protection. For your own protection read these instructions completely before using this face-protection.

REQUIREMENTS

This face shield complies with the requirements of the European Directive 89/686.CEE annex II by means of the European Standard EN166:2002-04 or EN1731:2006 Personal Eye Protectors-Specification.

PRODUCT SPECIFICATION

Brow guard: ABS Plastic / Visor: 8"X15.5"X1" / Weight: 276g

STORAGE

When not in use, it is recommended to store the face shield in a clean and dry polybag or case for visor protection.

DIRECTION FOR USE

This face shield has been designed for your personal safety. It must be worn for the whole duration of exposure to hazards, leave the work area if dizziness or irritation occurs, or if the face shield becomes damaged.

CLEANING AND MAINTENANCE

To maintain your face shield in good condition:

1. Do not use abrasive materials, clean and rinse in warm soapy water and dry with soft cloth.
2. Any part of face-protector which are in contact with the wearer shall be disinfected by alcohol.

FIELD OF USE

This face shield is designed to protect the user against eye and face injuries through mechanical impact or splashes liquids. The face shield is marked on the brow protection and visor with a series of numbers and symbols to indicate the manufacturer, the field of use, the protection capabilities and performance characteristics of the face-protector. Appropriate markings on ocular and frame are signified as follows:

Marking of the ocular:

PW I B F S CE

- CE Certification.
- Symbol of protection against increased robustness at a speed 5.1m/s.
- Symbol of protection against high-speed particle, low energy (45m/s).
- Symbol of protection against high-speed particle, medium energy (120m/s).
- Optical class
- Identification of the manufacturer.

Marking of the framer:

PW EN166 EN1731 3 B F S CE

- CE Certification.
- Symbol of protection against increased robustness at a speed 5.1m/s.
- Symbol of protection against high-speed particle, low energy (45m/s).
- Symbol of protection against high-speed particle, medium energy (120m/s)
- Symbol of protection against droplets and splashes of liquid.
- Number of the standard, which the product fulfils.
- Number of the standard, which the product fulfils.
- Identification of the manufacturer.

If protection against particles launched at high speed to extreme temperatures is required, the protector must be marked with the letter T immediately following the letter of impact, ie FT, BT or AT. If the letter of impact is not followed by the letter T, the protector must be used only against particles launched at high speed at room temperature

REPLACEMENT OF THE SPARE PARTS, ACCESSORIES AND INSTRUCTIONS FOR FITTING

Only use original spare parts. To replace the visor, you should ensure the compatibility of marking and the right visor is fitted. The visor held in place with 5 rotational clips, located on the rim of the browguard. Twist the 5 clips so that the visor slots are released and the visor comes free of the browguard. To fit a new visor, locate the visor slots and place over the 5 rotational clips, turn the clip heads band in a downward position, locking the visor in place. Remove the protective film cover by peeling it away.

DURATION OF USE

Inspect for damage regularly. When the face-protector has become brittle face shield should be replaced.

WARNING:

- This product is for face protection against moderate impact hazards but NOT unbreakable.
- Do not modify or alter face protector.
- Pitted or scratched screen reduce vision and seriously reduce protection and should be immediately replaced.
- This face protector has not any filtering action. This visor protect the eyes ,avoid liquid, small particles splash into eyes and face. It is not intended for welding.
- Always check with supervisory personnel to ensure you are being given the proper protection relative to working conditions, consult relative European Standards.
- The materials which may come into contact with the wearer's skin could cause allergic reactions to susceptible individuals.
- If the symbols F, B and A are not common to both ocular and the frame then it is the lower level which shall be as signed to the complete eye-protector.
- The environment while in use should between -5 & 55 degrees

DISPOSAL

As the browguard, visor and its components are subject to dirt, dusts and liquids, etc. They cannot be recycled. If the product is to be disposed of, it should be disposed of as solid waste. Please see local authority regulations for disposal advice and locations.

CERTIFICATION

CE mark was issued by the notified body 0196
DIN CERTCO Gesellschaft fuer Konformitaetsbewertung mbH
Alboinstrasse 56, 12103 Berlin

AUTHORISED REPRESENTATIVE

Portwest Ltd. Portwest House,
Westport Business & Technology Park, Westport,
Co Mayo, Ireland
For more product information contact +353 98 51 700